


**CAR REAR VISION
COLOR CCD CAMERA
INSTRUCTION MANUAL**



PartNo: RC-CC1000


Holtz Industries, Inc.

TF: 1-800-535-0104 • Web: www.holtzindustries.com

Product Feature

- For Use With 1/4" Format Camera
- Min. Illumination 0Lux (F2.0) / IR LED ON
- With 380 TV Lines Horizontal Resolution
- Auto White Balance
- Electronics Shutter Control 1/60 (1/50)
~1/100,000 sec.

CABLE PIN FUNCITON







1	Audio
2	Power
3	Video
4	GND
5	NIL
6	NIL
7	NIL

Specification

Pick up device	1/4" CCD
Total Pixels	NTSC:542(H) x 492 (V) P A L :542(H) x 582(V)
Effective Pixels	NTSC:512(H) x 492(V) P A L :512(H) x 582(V)
Resolution	380TV Lines
Sync. System	2:1 Interlace
Scanning System	More than 45 dB (AGC OFF)
S/N Ratio	Auto1/60 (1/50) ~1/100,000 sec.
Electronic Shutter	1.4Lux (F2.5) / PAL:1.1 Lux(F2.5)
Min. Illumination	1.0 Vp-p / 75 ohm
Video Output	ON
Automatic Gain Control	Yes
Scan Freq.	NTSC: 15.734 KHz ; PAL: 15.625 Khz NTSC: 59.94Hz ; PAL: 50Hz
Lens Mount Type	f:1.7mm F:2.5board lens
View Angle	H : 120° V : 90°
DC power Source	DC12V
Power Consumption	2W
Current	110mA
Dimension	Ø30(W) x Ø24.5(H) x 55.8(D)mm
Operation Temperature	-20 to 70°C (-36 to 126°F)
Storage Temperature	-40 to 85°C (-40 to 153°F)

Dimension



Holtz Industries, Inc.

TF: 1-800-535-0104 • Web: www.holtzindustries.com